

PCT/GB 2003 / 003503



The Patent Office
Concept House
Cardiff Road
Newport
South Wales

NP 10 800
REC'D 15 SEP 2003
WIPO PCT


**PRIORITY
DOCUMENT**
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

R. Mahoney

Dated 2 September 2003



02MAY03 1804389 1802805

P01/7700 0500-05100765-1

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference M02B148-1/MW

2. Patent application number 0310076.5
(The Patent Office will fill in this part)

-1 MAY 2003

3. Full name, address and postcode of the or of each applicant (underline all surnames)

The BOC Group plc, Chertsey Road, Windlesham, Surrey, GU20 6HJ

Patents ADP number (if you know it)

884627002 /

If the applicant is a corporate body, give the country/state of its incorporation

England

4. Title of the invention

MANUFACTURE OF ICE CREAM

5. Name of your agent (if you have one)

Michael Wickham

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

The BOC Group plc, Chertsey Road, Windlesham, Surrey, GU20 6HJ

Patents ADP number (if you know it)

35592004 /

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

GB

0219739.0

23 August 2002

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body.

Yes

See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description

14

Claim(s)

3

Abstract

1

Drawing(s)

0

10. If you are also filing any of the following, state how many against each item.

Priority documents

0

Translations of priority documents

0

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

0

Request for preliminary examination and search (Patents Form 9/77)

0

Request for substantive examination (Patents Form 10/77)

0

Any other documents (please specify)

0

11.

I/We request the grant of a patent on the basis of this application.

Signature

Date

Michael Wickham

30 April 2003

12. Name and daytime telephone number of person to contact in the United Kingdom

Michael Wickham
(01276) 477222

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

MANUFACTURE OF ICE CREAM

This invention relates to the manufacture of ice cream.

5 Ice cream is made by incorporating air into an oil-in-water emulsion as it is slowly frozen. By the term "ice cream" as used herein is meant a partly frozen foam containing a disperse phase of fat droplets and a continuous aqueous phase of dissolved and colloidal solids, such that the latter typically, but not essentially or exclusively, includes sugars (usually sucrose and lactose),
10 proteins (usually milk solids) and stabilisers. Although the fat of choice is traditionally butterfat or dairy cream, increasing volumes of ice cream are made using hydrogenated vegetable or tropical hard fats. The disperse phase contains a mixture of oil and solid fat (ideally at least 75% solid or crystalline fat at -5°C) as well as an emulsifier (usually a mixture of lipophilic
15 mono- and di-glycerides), whilst the aqueous phase contains a number of ingredients, of which milk protein, sugar and a stabiliser are the most important components in common use. Alternatively, a monoglyceride emulsifier may be dissolved in the aqueous phase with the other water-soluble ingredients.

20

In general, the manufacture of ice cream involves the following basic steps. After blending the selected liquid and dry ingredients using a high-speed mixer at $50-60^{\circ}\text{C}$, the coarse ice cream mix or emulsion is pasteurised, homogenised and cooled to about 4°C , by which time the droplets of oil/fat
25 are stabilised by an interfacial layer of adsorbed milk proteins. Homogenisation of the emulsion involves pumping at high pressure through an homogenisation valve or orifice in order to produce a particle size reduction of the emulsion droplets. The cooled emulsion is held in "conditioning" or "ageing" tanks at about 5°C for some hours prior to freezing
30 in order to allow a) the interfacial milk protein to be displaced from the surface of the fat globules by the more surface active emulsifier and b) the solid fat, especially the higher melting point fat, to crystallise. This "ageing" stage is

vitally important because it is only when the emulsifier has displaced the interfacial protein and itself comes to occupy the oil-water interface of each fat droplet and fat crystallisation has occurred, that it is possible for fat globules to stabilise air bubbles by attaching to their surface during air incorporation, and to thus form a stable, high volume foam for freezing. The time required for this "ageing" stage of production is long (and therefore expensive) and inevitably increases the cost of the final product, but it also dictates that the manufacture of ice cream is intrinsically a discontinuous process. This step is followed by air incorporation and dynamic freezing, both steps usually being performed in a scraped surface heat exchanger and, finally, hardening by blast freezing at -30° to -40°C .

According to the invention there is provided a method of making ice cream, including the steps of blending in the presence of at least one emulsifier an aqueous ice cream precursor phase with precrystallised particles of edible fat which each contain a multiplicity of individual crystals so as to form a dispersion, and gasifying and freezing the dispersion so as to form an ice cream.

By employing precrystallised particles of edible fat, the conventional homogenisation and ageing steps do not need to be performed. Furthermore, an emulsifier may be introduced into the edible fat before precrystallisation thereby enabling effective blending of the fat with the aqueous phase to be performed rapidly.

The particles of edible fat are preferably precrystallised cryogenically. The cryogenic precrystallisation may be performed by forming the edible fat into fine particles in molten state and contacting the fine particles with a cryogen. Typically, a spray of liquid cryogen is directed at the fine particles of edible fat in molten state. The liquid cryogen is conveniently liquid nitrogen, although liquid air or liquid argon may, for example be used instead.

The precrystallised particles of edible fat typically each take the form of a globule containing a mass of crystals (of very fine size) with entrapped pockets of oil.

- 5 Preferably, an emulsifier is introduced into the edible fat before it is precrystallised. The emulsifier is typically a lipophilic emulsifier, for example, a saturated monoglyceride such as glycerol monostearate.

- 10 Suitable classes of edible fat for use in the method according to the present invention include milk fat, anhydrous milk fat, at least one milk fat fraction, a hydrogenated vegetable oil, a hard tropical fat, or a hydrogenated tropical fat. Examples of non-dairy fats include fats formed by the hydrogenation of oils such as palm oil and sunflower oil.

- 15 The terms "cryogenic" and "cryogenically" as used herein mean that the temperature of the medium used to effect precrystallisation of the fat is less than minus 50°C, preferably less than minus 100°C.

- 20 One example of the method according to the invention involves cryogenically freezing a fine aerosol or spray or mist of a suitable fat (that can for example be milk fat, anhydrous milk fat, one or more milk fat fractions, hydrogenated vegetable oil, a tropical hard fat or any other edible oil containing a suitable level of solid fat) that may contain an appropriate added emulsifier, to produce a fine fat powder, although other cooling processes that achieve these
- 25 conditions may also be used for the same purpose. When the fat powder is returned to ambient temperature, or the temperature of the ice cream making process, it consists of droplets of fat, or fat globules, in which crystallisation of the fat is complete and the emulsifier is associated with their surface. Addition of this powder to the pasteurised aqueous phase of the ice cream
- 30 formulation, followed by high speed mixing, produces a mixture that is immediately ready for air (or other gas) incorporation and freezing in a

conventional manner and therefore the homogenisation and "conditioning" or "ageing" stages are no longer necessary.

5 In a further example a lipophilic emulsifier such as a saturated monoglyceride, for example, glycerol monostearate is dispersed in a molten, commercial ice cream fat and the fat then sprayed as a fine aerosol or as a mist from a spinning disc or some other similar device that produces small droplets, to impinge onto a liquid cryogen, or co-sprayed with the cryogen, or in some other way brought into close contact with a cryogen to obtain the highest possible rate of cooling. The resulting fine powder consists of numerous spherical fat particles, each of which consists of a mass of very fine fat crystals with entrapped pockets of oil. These particles can be added directly to the aqueous phase of ice cream mixes to produce a fine fat dispersion of what is, in effect, an emulsion. The fat powder can be wetted by the aqueous phase because of the presence of emulsifier on the surface of each powder particle. Individual fat particles act as globules of fat that are able to stabilise air bubbles by attaching to their surface when, as part of the normal ice cream making process, air is incorporated into the aqueous phase during freezing. Emulsions formed in this way freeze to form ice creams with similar microscopic structure, physical properties and mouth-feel as ice creams prepared with the same materials using conventional methods.

25 In a yet further example of this invention, a lipophilic emulsifier is dissolved in the fat phase, as described above, but the aqueous phase to which the fat is added also contains a highly surface active, water soluble emulsifier, such as a Tween or a Span (for example, Polysorbate 60 or Span 60. Whereas the lipophilic emulsifier water facilitates wetting of the fat particles' surface by the aqueous phase during blending and ensures that emulsifier is already present at the surface of the fat particles when the aqueous phase is added, the water soluble emulsifier lowers the surface tension of the fat particles to very low levels and promotes the separation (and wetting) of fat crystals from fat particles; in this way, large numbers of emulsifier-coated fat crystals become

dispersed in the aqueous phase. Thus, both fat crystals and fat particles are available to attach to the surface of bubbles and to take part in air (or other gas) stabilisation when the aeration process begins, to produce a stable foam with high overrun, that is the increase in volume produced by air incorporation, and a distinctive mouth-feel in the frozen ice cream.

The method of the invention has the advantage that it provides a number of ways of preparing and using the fat phase in an ice cream mix. Such is the flexibility of the method of the invention that it has also been found possible to crystallise the fat phase without an added emulsifier and instead to associate an emulsifier with the surface of the fat droplets by including the surfactant solely in the aqueous phase of the ice cream formulation. In this case, the emulsifier becomes associated with the particles' surface at the beginning of the ice cream making process during the high speed blending of the ingredients.

A positive advantage of the method according to the invention is that the disperse fat phase (i.e. the precrystallised particles of edible fat) can be prepared and conveniently stored as a stable powder until it is needed and then added either a) to the prepared aqueous phase or b) to other, dry ingredients of the ice cream mix followed by the addition of water and high speed mixing. This instant formation of an oil-in-water ice cream mix ready for immediate aeration and freezing provides a simple, rapid and continuous process for ice cream production that avoids many of the problems, delays and the inherent costs encountered in conventional, batch processes.

The method of the invention can be effectively placed upstream of the freezing stage of a continuous ice cream making plant so that holding tanks or "re-crystallisers" in which the emulsion would normally be aged, are no longer necessary in the process. This is possible using the method of the invention because within each droplet, fat crystallisation is rapid and complete and can be used at once in ice cream making or stored for extended periods without

adverse changes in appearance or functionality. The stability of fat powders produced by the method of the invention can be explained by the fact that all of the fat dissolved in the oil phase at the beginning of the process is forced to crystallise during cryogenic treatment. This is not true of other methods
5 already in use for the production of fat powders in which there is only partial crystallisation of the fat by the end of the process and a tempering or storage stage is required to allow the process to reach equilibrium – often with the release of sufficient heat to cause partial melting and subsequent lumping or caking. Such powders are intrinsically unstable when exposed to temperature
10 fluctuations because some solid fat is still present in solution in the oil phase and this allows tempering effects to change the properties of the fat crystals.

In view of the stability of the cryogenically precrystallised edible fat, it is possible to package it by itself or with one or more other solid constituents of
15 an ice cream mix for use in the home preparation of ice cream. Instructions on the use of the contents of the package to make ice cream can be provided as part of a kit with the package.

Moreover, an additional benefit of the method of the invention is that the exit
20 temperature of the frozen fat powder can be adjusted within certain limits (depending on the cryogen used) so that after it has been mixed with the aqueous phase, the complete emulsion can enter the freezing stage in a pre-cooled state, i.e. at a sub-ambient temperature (e.g. in the range of 10 to 15°C). This increases the efficiency of operation of ice cream making by
25 utilising some of the energy used in the production of the cryogenic gas.

Two further advantages of the method according to the invention are that in cryogenically precrystallised particles of fat powders a) the fat crystal size is very much smaller than in fat powders prepared by spray drying or spray
30 chilling and b) the particles have an elevated solid fat content compared with the same fat prepared by conventional methods. Whereas the small crystal size can be produced in all edible fats that are precrystallised cryogenically,

the increase in solid fat content is especially notable in cases where the fat to be cryogenically treated contains or consists of a hydrogenated fat or a fraction or blend containing triglycerides with a significant percentage of saturated fatty acids, such as hydrogenated fats and tropical hard fats. The increase in solid fat content of fat powders produced by the method of the invention increases their functionality when used in a wide range of applications, from baking to ice cream making. This cannot be achieved using existing, conventional methods of fat powder manufacture.

In the method of the invention it has been found that the size of particles in the fat powder is influenced by a number of factors that are already known, including typically a) the design, specification and operating conditions of the aerosol nozzle or of the rotary atomiser or of the device used to produce the fine dispersion of fat to be frozen by the cryogen and b) the viscosity of the molten fat at the atomiser feed temperature, whilst edible fat particle size in the aqueous phase of the ice cream mix prior to freezing is influenced by a) the magnitude of the shear applied in dispersing the fat powder in the aqueous phase of the ice cream mix and b) the solid fat content of the fat powder at the temperature of high energy mixing with the aqueous phase, in accordance with established principles of emulsion behaviour. In general, a high speed mixer is employed to perform the blending step in the method according to the invention.

It has been found advantageous to freeze an ice cream mix (i.e. the dispersion) in which all the dispersed fat particles in the dispersion have a size or diameter of less than $30\mu\text{m}$, preferably less than $10\mu\text{m}$ and optimally no more than $5\mu\text{m}$ in diameter, since particles larger than $25\text{--}30\mu\text{m}$ in diameter are known to produce poor mouth-feel, low overrun and loss of quality.

The edible fat to be used in the method according to the invention is, preferably, one with proven use in ice cream making and whose solid fat content at the temperature of storage is high enough to maintain its state as a non-compactable, free-flowing powder. This has practical advantages in the automated delivery of ingredients to unit operations, such as mixing. It has been found by experiment that powders made from high melting point butter fractions, a number of hard tropical fats, hydrogenated tropical fats, as well as a number of hydrogenated vegetable oils satisfy these conditions at storage temperatures below 10°C but that butter, anhydrous butter and lower melting point butter fractions must ideally be stored near to or below 0°C (depending on their triglyceride composition) to remain free flowing.

The microbiological quality of the final fat powder can be controlled by pasteurising the molten fat before cryogenic re-crystallisation. This can be done by simply adjusting the temperature of the molten fat in the holding tank.

The method according to the invention is further illustrated by the following examples.

EXAMPLE 1

An ice cream mix was prepared by combining a powdered precrystallised non-dairy fat, produced according to the method of the invention, with a pre-prepared aqueous phase to give a final fat content of 9%.

The fat powder was prepared by melting a commercial ice cream fat that was composed of hardened palm kernel oil containing 0.5% of a purified monoglyceride derived from sunflower oil, followed by cryogenic spray crystallisation using liquid nitrogen. The mean particle size was 70µm. The solid fat content of the starting material was determined using pulsed NMR over a narrow range of temperatures (-5°C, 91.1%; 0°C, 88.6%; +5°C, 83.5%).

The aqueous phase, which had the composition given in Table 1 below, was prepared using a low speed mixer.

Table 1. Composition of the aqueous phase of an ice cream mix.
(% by weight final ice cream mix)

5		
	Non-fat dry milk solids	11.5%
	Sugar	14.0%
	Hydrocolloid stabiliser	0.3%
10	Water	65.2%

The edible fat powder and the aqueous phase were thoroughly mixed at a temperature within the range 10°C-15°C using a high speed blender and the resulting dispersion or ice cream mix was aerated and frozen in a Votator (Trade Mark) continuous freezer. The emergent ice cream was hardened by passage through a tunnel freezer and the resulting material stored at -20°C for 2 days before evaluation. If desired, the emergent ice cream can be packaged before having hardened.

20 This ice cream was compared with a control ice cream prepared from the same materials but produced by a conventional process in which the fat phase was dispersed by homogenisation and the resulting ice cream mix "aged" for several hours before freezing as described above.

25 Comparison was made of the two ice creams by measurement of their overrun and yield values, the latter being a measure of the hardness of the ice cream. The former was measured using standard methods and the latter by means of an Instron penetrometer fitted with a refrigerated sample holder and a 40° cone probe. Organoleptic observations were also noted to try to detect
30 any obvious defects in ice cream structure.

These comparisons, set out in Table 2 below, showed that the properties of the two ice creams were similar.

Table 2. Comparison of the overrun, yield value and organoleptic properties of two ice creams.

Method of ice cream Preparation	Overrun % (SD=standard deviation)	Average Yield Value (n= 5) dynes/cm ² x10 ⁴	Organoleptic observations
Combining cryogenically processed fat powder and aqueous phase	53 SD 3.9	5.5	Smooth
Control – conventional homogenisation + "ageing"	60 SD 3.4	5.2	Very smooth

EXAMPLE 2

A dispersion of an ice cream mix was prepared by combining a cryogenically precrystallised anhydrous milk fat (AMF) powder, with a pre-prepared aqueous phase to give a final fat content of 12.5%.

- 15 The AMF powder was prepared by melting a commercial AMF and adding a commercial monoglyceride (glycerol monostearate) to a level of 0.3%, followed by cryogenic spray crystallisation using liquid nitrogen. The solid fat content of the AMF (before addition of the monoglyceride) was determined using pulsed NMR over a narrow range of temperatures (-5°C, 70.7%; 0°C,
- 20 67.5%; +5°C, 60.0%). The aqueous phase, which had the composition given in Table 3 below, was prepared using a low speed mixer.

Table 3. Composition of the aqueous phase used to make a dairy ice cream.

(% by weight final ice cream mix)

5	Non-fat dry milk solids	13.0%
	Sugar	12.0%
	Commercial hydrocolloid stabiliser	0.2%
	Water	62.3%

10 The AMF powder and the aqueous phase were blended in a high speed mixer and the resulting ice cream mix was aerated and frozen in a Votator continuous freezer. The emergent dairy ice cream was hardened in a tunnel freezer and the resulting material stored at -20°C for 2 days before evaluation.

15 This ice cream was compared with a control ice cream prepared from the same materials but produced by a conventional process in which the AMF was dispersed by homogenisation and the resulting ice cream mix "aged" for several hours before freezing as described above.

20 Comparison was made of the two ice creams by measurement of their overrun and yield values, as in Example 1. Organoleptic observations were also noted to try to detect any obvious defects in ice cream structure. The results of the comparison are set out in Table 4 below.

25 The results showed that there was little difference in the physical properties of the two ice creams but that the mouthfeel of the product made conventionally was probably smoother than would be acceptable commercially.

30

Table 4. Comparison of the overrun, yield value and organoleptic properties of two dairy ice creams.

Method of ice cream Preparation	Overrun % (SD=standard deviation)	Average Yield Value (n= 5) Dynes/cm ² x10 ⁴	Organoleptic observations
Combining cryogenically processed AMF powder and aqueous phase	58 SD 4.8	5.1	Very smooth
Control – conventional homogenisation + "ageing"	67 SD 4.9	4.8	Very smooth to too smooth ("slimy")

5 EXAMPLE 3

A dispersion of an ice cream mix was prepared by combining a powdered non-dairy fat, produced by cryogenic precrystallisation with a pre-prepared aqueous phase to give a final fat content of 10%.

10

The fat powder was prepared by melting a palm kernel oil containing 0.3% of a purified monoglyceride derived from sunflower oil, followed by cryogenic spray crystallisation using liquid nitrogen. The cryogenically precrystallised fat powder has a mean particle size of 70µm. The solid fat content of the starting material was determined using pulsed NMR over a narrow range of temperatures (-5°C, 86.2%; 0°C, 84.3%; +5°C, 78.9%). The aqueous phase, which had the composition given in Table 5 below, was prepared using a low speed mixer.

15

**Table 5. Composition of the aqueous phase of an ice cream mix
containing polysorbate 60
(% by weight final ice cream mix).**

5		
	Non-fat dry milk solids	11.5%
	Sugar	14.0%
	Hydrocolloid stabiliser	0.3%
	Polysorbate 60	0.1%
10	Water	64.1%

The fat powder and aqueous phase were thoroughly mixed using a high speed blender and the resulting ice cream mix was aerated and frozen in a Votator continuous freezer. The semi-solid ice cream that emerged was
15 hardened by passage through a tunnel freezer and the resulting material stored at -20°C for 2 days before evaluation.

This ice cream was compared with a control ice cream prepared from the same materials but produced by a conventional process in which the fat
20 phase was dispersed by homogenisation and the resulting ice cream mix "aged" for several hours before freezing as described above.

Comparison was made of the two ice creams using measurements as described in examples 1 and 2 and organoleptic observations were also noted
25 to detect any obvious defects in ice cream structure. The results of the comparison are set out in Table 6 below. These showed that the two ice creams were similar in their properties.

**Table 6. Comparison of the overrun, yield value and organoleptic
30 properties of two ice creams prepared with two added emulsifiers.**

Method of ice cream Preparation	Overrun % (SD=standard deviation)	Average Yield Value (n= 5) dynes/cm ² x10 ⁴	Organoleptic observations
Combining cryogenically processed fat powder and aqueous phase	70 SD 3.5	4.6	Very smooth
Control – conventional homogenisation + "ageing"	75 SD 3.0	4.2	Very smooth

CLAIMS

1. A method of making ice cream, including the steps of blending in the presence of at least one emulsifier an aqueous ice cream precursor
5 phase with precrystallised particles of edible fat which each contain a multiplicity of individual crystals so as to form a dispersion, and gasifying and freezing the dispersion so as to form an ice cream.
2. A method according to claim 1, in which the particles of edible fat are
10 precrystallised cryogenically.
3. A method according to claim 2, in which the cryogenic precrystallisation is performed by forming the edible fat into fine particles in molten state and contacting the fine particles with a cryogen.
15
4. A method according to claim 3, in which a spray of liquid cryogen is directed at the fine particles of edible fat in molten state.
5. A method according to claim 3 or claim 4, in which the liquid cryogen is
20 liquid nitrogen.
6. A method according to any one of the preceding claims, in which the precrystallised particles of edible fat take the form of a globule containing a mass of crystals of fat with entrapped pockets of oil.
25
7. A method according to any one of the preceding claims, in which all the dispersed fat particles in the dispersion have a size less than 30µm.
8. A method according to claim 7, in which most or all the precrystallised
30 particles have a size less than 10µm.

9. A method according to claim 7 or claim 8, in which most or all of the precrystallised particles have a size of 5µm or less.
- 5 10. A method according to any one of the preceding claims, in which the edible fat is pasteurised before being precrystallised.
11. A method according to any one of the preceding claims, in which the aqueous phase is pasteurised before being blended with the
10 -- precrystallised edible fat particles.
12. A method according to any one of the preceding claims, in which an emulsifier is introduced into the edible fat before it is precrystallised.
13. A method according to claim 12, in which the emulsifier is a lipophilic emulsifier.
15
14. A method according to claim 13, in which the lipophilic emulsifier is a saturated monoglyceride.
- 20 15. A method according to claim 14, in which the saturated monoglyceride is a glycerol monostearate.
16. A method according to any one of the preceding claims, in which the edible fat is milk fat, anhydrous milk fat, at least one milk fat fraction, a
25 hydrogenated vegetable oil, a hard tropical fat, or a hydrogenated tropical fat.
17. A method according to any one of the preceding claims, in which the aqueous phase contains a highly surface active, water soluble emulsifier.
30

18. A method according to any one of the preceding claims, in which the aqueous phase contains non-fat dry milk solids and sugar.
- 5 19. A method according to any one of the preceding claims, in which the said dispersion is gasified and frozen without being subjected to homogenisation or ageing.
20. A method according to claim 19, in which the dispersion is presented at below ambient temperature for freezing.
- 10 21. A package comprising cryogenically precrystallised particles of edible fat.
22. A kit for making ice cream in the home comprising a package
15 according to claim 21 and instructions for the use of the contents of the package in the preparation of ice cream.

ABSTRACT**MANUFACTURE OF ICE CREAM**

5

Particles of edible fat are precrystallised at edible fat and are blended with an aqueous ice cream precursor phase in the presence of at least one emulsifier to form a dispersion. The precrystallised particles of edible fat each contain a multiplicity of individual crystals. The resulting dispersion is gasified and
10 frozen so as to form an ice cream. The precrystallisation is preferably performed cryogenically.



THE PATENT OFFICE
04 SEP 2003
Received in Patents
International Unit

PCT Application
GB0303503



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.